



## Product Certificate

Jørgen Kruuse A/S hereby declare the following details regarding the mentioned product:

### Item number

152400...152523. Please see all items below.

### Product name

KRUUSE PGA suture. Please see all types below.



### Product type

KRUUSE PGA is an absorbable, synthetic, braided and coated suture. Based on Polyglycolic acid. PGA sutures, coated with polycaprolactone and calcium stearate, are inert, non-antigenic and non-pyrogenic.

PGA complies with the requirements of USP and EP. Is extremely soft and smooth and has a high knot security.

Multifilament, braided: For secure knot tying and easy handling

Synthetic: Minimal tissue reaction

Coated: For easy knot tying and smooth passage through tissue.

### Absorption / Absorbable

- Complete mass absorption in approximately 60-90 days
- Absorption by hydrolysis

### Tensile Strength

- 65 % remains after 14 days
- 35 % remains after 21 days
- Complete mass absorption in approximately 60-90 days.

Only for veterinary purposes.

**Material**

Polyglycolic acid coated with polycaprolactone and calcium stearate.

**Colour**

Violet

**Storage condition**

Dry place.

**Shelf-life**

3 years.

**Size**

Item number	Thickness, length and needle type
152400	USP 0, 70 cm, 30 mm needle, ½ C, RB, 18/pk
152401	USP 0, 70 cm, 30 mm needle, 3/8 C, RC, 18/pk
152402	USP 1, 70 cm, 36 mm needle, 3/8 C, RC, 18/pk
152403	USP 2-0, 70 cm, 26 mm needle, ½ C, RB, 18/pk
152404	USP 2-0, 70 cm, 26 mm needle, 3/8 C, RC, 18/pk
152405	USP 3-0, 70 cm, 26 mm needle, ½ C, RB, 18/pk
152406	USP 3-0, 70 cm, 26 mm needle, 3/8 C, RC, 18/pk
152407	USP 4-0, 70 cm, 24 mm needle, ½ C, RB, 18/pk
152408	USP 4-0, 70 cm, 24 mm needle, 3/8 C, RC, 18/pk
152409	USP 0, 90 cm, needle: 30 mm, ½ C, RB, 18/pk
152410	USP 1, 90 cm, 30 mm needle, ½ C, RB, 18/pk
152411	USP 2, 90 cm, 36 mm needle, ½ Circle, Round Bodied, 18/pk
152412	USP 0, 90 cm, 30 mm needle, 3/8 C, RC, 18/pk
152413	USP 1, 90 cm, needle: 30 mm, 3/8 circle, reverse cutting, 18/pk
152414	USP 2, 90 cm, 36 mm needle, 3/8 C, RC, 18/pk
152415	USP 4-0, 70 cm, 19 mm, 3/8 C, Reverse cutting, 18/pk
152416	USP 4-0, 70 cm, 19 mm, ½ C, RB, 18/pk
152490	USP 0, 15 m
152491	USP 1, 15 m
152492	USP 2, 15 m
152493	USP 2-0, 15 m
152494	USP 3+4, 15 m
152495	USP 3-0, 15 m
152520	USP 2, 90 cm, 48 mm needle, 3/8 C, RC, 18/pk
152521	USP 0, 90 cm, 39 mm needle, 3/8 C, RC, 18/pk
152522	USP 2-0, 70 cm, 36 mm needle, 3/8 C, RC, 18/pk
152523	USP 6, 150 cm, 48 mm needle, 1/2 C, RB tapercut, 18/pk

**Legislation, EEC directives, Standards**

USP / EP sizes are in accordance with international requirements.

**Origin**

KR.

**Last revised**

09-September-2016

**Version**

2

**Signed**

Inge Merete Jensen

**Function**

QA Manager